








FOUNDATION LAYOUT PLAN




این اکس به طور کامل قیلا شده است


دetailed و جزئیات متعلقه ابلاغ می گردد




BASE PLATE AND COLUMN LAYOUT PLAN




دقیل و جزئیات متعلقہ ابلاغ می گردید



BASE PLATE AND COLUMN LAYOUT PLAN






Notes:


1. All dimensions are in millimeters (mm) unless otherwise stated.
2. The structure shall be constructed in accordance with the specifications of the relevant standards and codes of practice.
3. The foundation shall be constructed on a firm, stable base.
4. The concrete shall be of the specified grade and shall be cast in accordance with the relevant standards and codes of practice.
5. The reinforcement shall be of the specified grade and shall be installed in accordance with the relevant standards and codes of practice.
6. The structure shall be protected against corrosion by the application of a suitable protective coating.
7. The structure shall be maintained in good condition throughout its service life.
8. The structure shall be designed to withstand the maximum expected loads and stresses.
9. The structure shall be constructed in accordance with the approved drawings and specifications.
10. The structure shall be completed within the specified time frame.

Warehouse


Item	Quantity	Unit	Remarks
Concrete	100	m³	For foundation and walls
Reinforcement	10	kg	For walls
Rock fill	50	m³	For foundation
Gravel	20	m³	For drainage
Sand	10	m³	For bedding
Bricks	1000	nos	For walls
Mortar	10	m³	For walls
Plaster	10	m³	For walls
Paint	10	kg	For walls
Roofing	10	m²	For roof
Windows	10	nos	For walls
Doors	10	nos	For walls
Handrails	10	m	For walls
Lighting	10	nos	For walls
Security	10	nos	For walls
Signage	10	nos	For walls
Other	10	nos	For walls




FOUNDATION F2 FORMWORK




FOUNDATION F2 REINFORCEMENT




SECTION 5-5



SECTION 6-6





SECTION 5-5




SECTION 6-6

- ABBREVIATION :
- T.O.F = TOP OF FOUNDATION
 - T.O.G = TOP OF GRID BEAM
 - B.O.F = BOTTOM OF FOUNDATION
 - T.O.P = TOP OF PEDESTAL
 - T.O.B = TOP OF BRACKET
 - C.O.B = CENTER OF BRACKET






FOUNDATION F1 REINFORCEMENT




SECTION 9-9



SECTION 10-10


T.O.F = TOP OF FOUNDATION
T.O.G = TOP OF GRID BEAM
B.O.F = BOTTOM OF FOUNDATION
T.O.P = TOP OF PEDESTAL
T.O.B = TOP OF BRACKET
C.O.B = CENTER OF BRACKET

[illegible]




REINFORCEMENT TB-1 ON AXIS A

REINFORCEMENT TB-1 ON AXIS A




SECTION 10-10




Warehouse

CONTRACTION JOINT OF SLAB



FILL WITH PLASTOFOM
Or FILL WITH
ASPHALT 1.5x3cm



DETAIL 1

EXPANSION JOINT OF SLAB




Table with 2 columns: Item No., Description. The table lists various construction items and their quantities.

Item No.	Description
1	...
2	...
3	...
4	...
5	...
6	...
7	...
8	...
9	...
10	...
11	...
12	...
13	...
14	...
15	...
16	...
17	...
18	...
19	...
20	...
21	...
22	...
23	...
24	...
25	...
26	...
27	...
28	...
29	...
30	...
31	...
32	...
33	...
34	...
35	...
36	...
37	...
38	...
39	...
40	...
41	...
42	...
43	...
44	...
45	...
46	...
47	...
48	...
49	...
50	...

